

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.59	Ohms
2	Fs	87.72	Hz
3	Re	5.00	Ohms[dc]
4	Res	88.42	Ohms
5	Qms	9.58	
6	Qes	0.54	
7	Qts	0.51	
8	L1	0.35	mH
9	L2	0.37	mH
10	R2	2.21	Ohms
11	RMSE-load	0.50	Ohms
12	Vas(Sd)	5.01	liters
13	Mms	14.80	grams
14	Cms	222	$\mu\text{M}/\text{Newton}$
15	B1	8.68	Tesla-M
16	SPLref(Sd)	89.8	dB[Re]
17	Rub-index	0.07	

Method: Mass-loaded (20.00 grams)

Area (Sd): 126.68 sq cm


DCR mode: Measure (-0.09 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -35.1% (-20% to -50% is recommended).


6PS38

MLSSA: Parameters



mean: 8.243, rms: 12.43, std: 9.306, max: 92.98, min: 5.108


MLSSA: Frequency Domain



Level (100:6503 Hz) = 92.12 dB SPL/watt (8 ohms, @1.00 meters)

6PS38

MLSSA: Frequency Domain



-73.97 dB, 3329 Hz (75), 2.090 msec (20)