

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	1.07	Ohms
2	Fs	59.58	Hz
3	Re	5.27	Ohms[dc]
4	Res	92.19	Ohms
5	Qms	5.81	
6	Qes	0.33	
7	Qts	0.31	
8	L1	0.92	mH
9	L2	1.27	mH
10	R2	4.84	Ohms
11	RMSE-load	0.89	Ohms
12	Vas(Sd)	50.99	liters
13	Mms	55.41	grams
14	Cms	129	$\mu\text{M}/\text{Newton}$
15	B1	18.15	Tesla-M
16	SPLref(Sd)	96.9	dB[Re]
17	Rub-index	0.07	

Method: Mass-loaded (60.00 grams)

Area (Sd): 530.93 sq cm


DCR mode: Measure (-0.14 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -31.0% (-20% to -50% is recommended).


12CL76

MLSSA: Parameters



mean: 10.98, rms: 14.76, std: 9.861, max: 102.3, min: 5.431


MLSSA: Frequency Domain



Level (100:3007 Hz) = 96.55 dB SPL/watt (8 ohms, @1.00 meters)

12CL76

MLSSA: Frequency Domain



-74.23 dB, 2530 Hz (57), 3.630 msec (34)