


mean: 98.33, rms: 98.70, std: 2.27, max: 103.83, min: 83.73


EAW QX366 Greybox rev. A

MLSSA: Frequency Domain



-78.69 dB, 9455 Hz (213), 4.950 msec (46)


EAW QX366 Greybox rev.A



mean: 2.814, rms: 2.834, std: 0.3351, max: 6.603, min: 1.602

EAW QX366 Greybox rev. A


MLSSA: Frequency Domain



mean: 98.34, rms: 98.80, std: 2.50, max: 105.07, min: 73.41

EAW QX366 Greybox rev. A


MLSSA: Frequency Domain



CURSOR: $y = -4.24673e-006$ $x = 24.1120$ (2192)

EAW QX366 Greybox rev. A


MLSSA: Time Domain



CURSOR: $y = 3.27605e-005$ $x = 24.1120$ (2192)

EAW QX366 Greybox rev. A


MLSSA: Time Domain



Overlay Compare: dev= +21/-9.3, std= 4.5, avg= -23

EAW QX366 Greybox rev. A


MLSSA: Frequency Domain



mean: -332.1, rms: 332.7, std: 20.01, max: -184.6, min: -373.6

EAW QX366 Greybox rev. A


MLSSA: Frequency Domain



Overlay Compare: dev= +24/-9.4, std= 6, avg= -26

EAW QX366 Greybox rev. A vertical


MLSSA: Frequency Domain



Overlay Compare: dev= +3/-3.6, std= 2.3, avg= -2.9

EAW QX366 Greybox rev.A Listener Dist. 30m --- / 10m ... / 1m -.-


MLSSA: Frequency Domain



Overlay Compare: dev= +6.7/-10, std= 2.6, avg= 2.8


EAW QX366 Greybox rev.A single amp. --- / hi amp.

MLSSA: Frequency Domain



-74.66 dB, 9233 Hz (208), 2.530 msec (24)


EAW QX366 Greybox rev. A single amp.



mean: -694.1, rms: 694.4, std: 20.88, max: -503.5, min: -733.2

EAW QX366 Greybox rev.A single amp.


MLSSA: Frequency Domain



CURSOR: y = 1.08828 x = 9610.2625 (3464)

EAW QX366 Greybox rev.A single amp.


MLSSA: Frequency Domain



CURSOR: $y = -0.000694948$ $x = 17.9410$ (1631)

EAW QX366 Greybox rev.A single amp.


MLSSA: Time Domain



CURSOR: $y = -2.12337e-006$ $x = 25.5640$ (2324)

EAW QX366 Greybox rev.A single amp.


MLSSA: Time Domain



Overlay Compare: dev= +24/-9.8, std= 6.5, avg= -26

EAW QX366 Greybox rev.A single amp.


MLSSA: Frequency Domain



Overlay Compare: dev= +20/-8.7, std= 5, avg= -23

EAW QX366 Greybox rev.A single amp. horizontal


MLSSA: Frequency Domain



mean: 98.51, rms: 99.11, std: 2.83, max: 106.44, min: 77.67

EAW QX366 Greybox rev.A single amp.


MLSSA: Frequency Domain



Level (100:21326 Hz) = 108.21 dB SPL/watt (8 ohms, @2.80 meters)

EAW QX366 pasiv


MLSSA: Frequency Domain



mean: 10.59, rms: 10.73, std: 1.753, max: 30.55, min: 5.639

EAW QX366 fullrange


MLSSA: Frequency Domain



CURSOR: dy = 16.0597 x = 20001.5203 (9995)

EAW QX366


MLSSA: Frequency Domain



Level (499:14005 Hz) = 109.85 dB SPL/watt (8 ohms, @1.00 meters)


DRIVER + HORN QX366

MLSSA: Frequency Domain



-59.28 dB, 666 Hz (15), 2.420 msec (23)


DTTO



Level (499:12007 Hz) = 108.99 dB SPL/watt (8 ohms, @1.00 meters)


DRIVER QX366 + ME90

MLSSA: Frequency Domain



-58.61 dB, 666 Hz (15), 2.530 msec (24)


DTTO



mean: 10.34, rms: 10.56, std: 2.138, max: 45.47, min: 6.014

DRIVER + HORN QX366


MLSSA: Frequency Domain



Level (100:4150 Hz) = 95.82 dB SPL/watt (8 ohms, @1.00 meters)

10" T5825A P/N 2037470 LC10-2000-B

MLSSA: Frequency Domain



-73.61 dB, 843 Hz (19), 2.860 msec (27)

DTTO

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.48	Ohms
2	Fs	70.13	Hz
3	Re	4.97	Ohms[dc]
4	Res	42.37	Ohms
5	Qms	3.39	
6	Qes	0.40	
7	Qts	0.36	
8	L1	0.51	mH
9	L2	1.04	mH
10	R2	4.21	Ohms
11	RMSE-load	0.58	Ohms
12	Vas(Sd)	36.26	liters
13	Mms	26.29	grams
14	Cms	196	$\mu\text{M}/\text{Newton}$
15	B1	12.03	Tesla-M
16	SPLref(Sd)	96.8	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (40.00 grams)

Area (Sd): 363.05 sq cm


DCR mode: Measure (-0.11 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -35.6% (-20% to -50% is recommended).

QX366

MLSSA: Parameters



mean: 8.899, rms: 10.68, std: 5.912, max: 47.55, min: 5.087

MLSSA: Frequency Domain