

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.63	Ohms
2	Fs	23.05	Hz
3	Re	4.28	Ohms[dc]
4	Res	127.20	Ohms
5	Qms	11.00	
6	Qes	0.37	
7	Qts	0.36	
8	L1	0.65	mH
9	L2	1.86	mH
10	R2	11.45	Ohms
11	RMSE-load	0.84	Ohms
12	Vas(Sd)	123.34	liters
13	Mms	130.87	grams
14	Cms	364	$\mu\text{M}/\text{Newton}$
15	B1	14.80	Tesla-M
16	SPLref(Sd)	87.9	dB[Re]
17	Rub-index	0.01	

Method: Mass-loaded (140.00 grams)

Area (Sd): 490.87 sq cm


DCR mode: Measure (-0.06 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -29.9% (-20% to -50% is recommended).


EMINENCE LAB12

MLSSA: Parameters



mean: 10.03, rms: 12.16, std: 6.877, max: 125.4, min: 4.389

MLSSA: Frequency Domain





---

Level (55:1354 Hz) = 89.02 dB SPL/watt (6 ohms, @1.00 meters)

---

EMINENCE LAB12

MLSSA: Frequency Domain



-73.50 dB, 666 Hz (15), 4.290 msec (40)