

eShop: <http://eshop.prodance.cz/lf15x401-8-ohm/d-97075/>

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.56	Ohms
2	Fs	41.80	Hz
3	Re	4.99	Ohms[dc]
4	Res	92.59	Ohms
5	Qms	6.07	
6	Qes	0.33	
7	Qts	0.31	
8	L1	1.39	mH
9	L2	2.37	mH
10	R2	11.73	Ohms
11	RMSE-load	0.47	Ohms
12	Vas(Sd)	116.39	liters
13	Mms	144.17	grams
14	Cms	101	$\mu\text{M}/\text{Newton}$
15	B1	24.04	Tesla-M
16	SPLref(Sd)	96.0	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (120.00 grams)

Area (Sd): 907.92 sq cm


DCR mode: Measure (-0.07 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -26.0% (-20% to -50% is recommended).

LF15X401

MLSSA: Parameters



mean: 13.46, rms: 15.9, std: 8.45, max: 97.58, min: 5.067

LF15X401

MLSSA: Frequency Domain