


Level (50:17303 Hz) = 97.58 dB SPL/watt (8 ohms, @1.70 meters)


QSC AP-5152

MLSSA: Frequency Domain



Overlay Compare: dev= +19/-9.2, std= 5.2, avg= -22


QSC AP-5152



Overlay Compare: dev= +4.1/-6.5, std= 2.8, avg= -2.7


QSC AP-5152

MLSSA: Frequency Domain




mean: -364.7, rms: 366.3, std: 34.37, max: -264.3, min: -428.7

QSC AP-5152




QSC AP-5152

MLSSA: Frequency Domain



Overlay Compare: dev= +0.47/-0.7, std= 0.12, avg= -0.13


QSC AP-5152 okno 15ms --- / 45ms ...



mean: 18.54, rms: 24.67, std: 16.28, max: 76.62, min: 5.511

QSC AP-5152


MLSSA: Frequency Domain



Level (100:999 Hz) = 95.31 dB SPL/watt (8 ohms, @1.50 meters)

AP-5152

MLSSA: Frequency Domain



-78.36 dB, 2353 Hz (53), 3.190 msec (30)

DT10

Measured Data

QC Limits

Line	Parameter	Value	Units
1	RMSE-free	0.65	Ohms
2	Fs	40.20	Hz
3	Re	5.22	Ohms[dc]
4	Res	131.97	Ohms
5	Qms	9.05	
6	Qes	0.36	
7	Qts	0.34	
8	L1	1.37	mH
9	L2	2.23	mH
10	R2	8.72	Ohms
11	RMSE-load	0.93	Ohms
12	Vas(Sd)	169.33	liters
13	Mms	95.08	grams
14	Cms	165	μ M/Newton
15	B1	18.71	Tesla-M
16	SPLref(Sd)	96.7	dB[Re]
17	Rub-index	0.00	

Method: Mass-loaded (80.00 grams)

Area (Sd): 855.30 sq cm


DCR mode: Measure (-0.12 ohms)

QC file: CLOSED

Analysis successful. Shift in Fs = -25.3% (-20% to -50% is recommended).

15" QSC AP-5152

MLSSA: Parameters



mean: 12.99, rms: 16.26, std: 9.78, max: 135.3, min: 5.346

MLSSA: Frequency Domain