


COMPACT A 10

TWO-WAY PROFESSIONAL SPEAKER

DESCRIPTION

COMPACT A 10 is a multipurpose two-way full-range professional speaker system, suitable for a wide range of applications, such as live sound reinforcement and stage monitoring as well as distributed sound systems for clubs or music venues. The combination of a 1.75" compression driver, 10" woofer, and the constant directivity True Resistive Waveguide produces coherent 100° x 60° coverage for the listening area with up to high SPL, distortion-free sound. The sleek and lightweight cabinet uses a special polypropylene composite material with an Mbrace internal reinforcement, making it easy to carry and secure to install on a pole, flown-, wall-, or truss-mounted using the multiple rigging points and available accessories.



FEATURES

- 350 W power handling
- Up to 128 dB Sound Pressure Level
- 60-20000 Hz linear frequency response
- 1.75" Compression Driver
- 10" High Power Woofer
- Robust composite material cabinet
- Steel full front grille
- Optional mounting accessories
- 2 x SPEAKON connectors

Rev. G Last update: 18/10/2022



TECHNICAL SPECIFICATIONS


I ECHNICAL SPECIFICA	ATIONS	
Acoustical specifications	Frequency Response (-10dB):	60 Hz ÷ 20000 Hz
	Max SPL @ 1m:	128 dB
	Horizontal coverage angle:	100°
	Vertical coverage angle:	60°
	System Sensitivity:	97 dB
Power section	Amplification:	Full Range
	Nominal Impedance:	8 ohm
	Power Handling:	350 W
	Peak Power Handling:	1400 W PEAK
	Recommended Amplifier:	700 W
	Protections:	Dynamic Active Mosfet
	Crossover Frequencies:	1400 Hz
Transducers	Compression Driver:	1.0", 1.75" v.c
	Woofer:	10", 2.5" v.c
Input/Output section	Input connectors:	Speakon
	Output connectors:	Speakon
Physical specifications	Cabinet/Case Material:	PP Composite
	Hardware:	1 x M10 top and bottom
	Handles:	1top
	Pole mount/Cap:	Yes
	Grille:	Steel
	Color:	Black
Size	Height:	572.1 mm / 22.52 inches
	Width:	329.9 mm / 12.99 inches
	Depth:	310 mm / 12.2 inches
	Weight:	16.2 kg / 35.71 lbs
Shipping informations	Package Height:	616 mm / 24.25 inches
	Package Width:	370 mm / 14.57 inches
	Package Depth:	390 mm / 15.35 inches
	Package Weight:	18.2 kg / 40.12 lbs

PART NUMBER


· 13000738


COMPACT A 10


EAN 8024530019747



































ACCESSORIES			
	AC PM-M20	PART NUMBER EAN:	13360067 8024530014599
	AC PMX POLE MOUNT M20	PART NUMBER EAN:	13360232 8024530010058
	AC PRO-FS PROFESS. LOCKING FLOOR STAND	PART NUMBER EAN:	13360109 8024530006471
Can lead to the case of the ca	AC PRO-PM PROFESS. LOCKING POLE MOUNT	PART NUMBER EAN:	
в	COVER CVR ART 910	PART NUMBER EAN:	13360473 8024530018832
	FLYING BRACKET FL-BR ART 910	PART NUMBER EAN:	13360472 8024530019235
	HORIZONTAL BRACKET H-BR ART 910	PART NUMBER EAN:	13360471 8024530019242



A&E SPECIFICATIONS

The product shall be a multipurpose two-way full-range professional speaker system, suitable for a wide range of applications, such as live sound reinforcement and stage monitoring as well as distributed sound systems for clubs or music venues. It shall feature high sensitivity, typical of professional audio cabinets, with smooth and wide frequency response, thanks to the wave-guided compression driver. It shall be robust, suitable for transportation and for any working environment. Optional mounting accessories shall be available for wall or ceiling installations.