

## **SUB 702-AS MK3**

### **ACTIVE SUBWOOFER**



### Description

The SUB 702-AS mk3 is a portable 12" high-power active subwoofer for live sound applications. It features a state-of-the-art transducer with a high-power ceramic magnetic circuit and a powerful Class-D amplifier that delivers sound pressure levels up to 129 dB with exceptional headroom. Designed as the ideal complement for 8" or 10" loudspeakers, it provides outstanding performance in any application. Rear panel controls include volume, EQ, polarity, and crossover frequency selection. The rugged all-wood cabinet with scratch-resistant polyurea coating makes it durable, easy to carry and install securely. With its versatility, sound quality, and high power output, the SUB 702-AS MK3 is perfect for small to mid-sized venues and portable applications.

### Features

- > 1400 Watt Class-D Amplifier
- > 12" Woofer, bass reflex housing
- > Stereo Crossover
- > Switchable Crossover Frequencies
- > Polarity-reverse switch
- > Electronic equalization, soft limiter and protection
- > Stereo XLR input, Stereo XLR signal output
- > Bass Motion Control excursion management

#### Part Number


13000818	SUB 702-AS MK3	220-240 V	Black	EAN 80245300204'/'/
13000819	SUB 702-AS MK3	100-120 V	Black	EAN 8024530021382




## **SUB 702-AS MK3**

## **ACTIVE SUBWOOFER**

Line Art 2D





#### **TECHNICAL SPECIFICATIONS**

Acoustical specifications | Frequency Response | 40 Hz - 120 Hz

Max SPL @ 1m 129 dB

Transducers Woofer 12", 2.5" v.c

Input/Output section | Input signal | bal/unbal

Input connectors XLR
Output connectors XLR

Input sensitivity -2 dBu/+4 dBu

Processor section Hi-Pass Frequencies 110 Hz

Low-Pass Frequencies 80 Hz

Protections Thermal, RMS

Limiter Soft Limiter

Controls Volume, EQ, Phase, Xover

Power section Total Power 1400 W Peak, 700 W RMS

Low frequencies 1400 W Peak, 700 W RMS

Cooling Convection

Connections VDE

Standard complianceSafety agencyCE compliant

Physical specifications | Cabinet/Case Material Baltic birch plywood

Handles One each side
Pole mount/Cap M20 thread

Grille Steel with clothing

Color Black



# **SUB 702-AS MK3**

## **ACTIVE SUBWOOFER**

Size / Weight | Height | 523 mm / 20.59 inches

Width360 mm/14.17 inchesDepth515 mm/20.28 inches

Weight 21.5 kg / 47.4 lbs

**ACCESSORIES** 

Rigging / Mounting | POLE MOUNT KITS

13360067 PM-KIT M20 Black EAN 8024530014599

Protections BAGS, COVERS

13360528 CVR 005 Black EAN 8024530020408